



Installation instructions

BOXtrack **Sliding hardware**


for wood doors
upto 265 lb door weight

Safety notes


Before assembly, please read the installation instructions carefully. In case of difficulties in understanding, contact the customer service or your supplier. In order to assemble the purchased product properly, please use the tools indicated on the following page. Since some parts may have sharp edges, also be sure to protect your hands and work surfaces

from cuts or scratches. During assembly, always ensure that you work ergonomically and only assemble alone if you can rule out any risk to your health or other persons. All components were checked for integrity before delivery. No liability is accepted for damage caused by improper assembly or transport.


Required tools




Parts of the box track




Fitting parts for wood doors up to 265 lb



Softclose set for wood doors up to 176 lb*




Distance profile set*




* optional

Side view

Wall mounting




With distance profile




Front view

Illustration shows opening direction to the right*




* Opening direction can be easily switched to the left. It depends only on the box track position.

Wood door clamps




Wood door clamps with softclose trigger





1.

With optional distance profile only




2.

Wall mounting




! The load-bearing capacity of the wall must be checked. Suitable fastening material must be provided by the customer!




3.


With snap-in stopper



With softclose




4.





5.





With optional softclose only



6.




7.




8.

Without distance profile



! The condition of the floor must be checked. Suitable fastening material must be provided by the customer!


With distance profile



! The condition of the floor must be checked. Suitable fastening material must be provided by the customer!


9.

With snap-in stopper




10.1.

With softclose




Mounting option: Mounting the softclose from below




10.2.

With softclose




10.3.

With softclose




10.4.

With softclose




11.




12.

Without distance profile



With distance profile





A brand of Bartels USA, Inc.

1901 Tigertail Blvd, Dania Beach, FL 33004

PH: 786 791 8557

E: sales@falkenstein-doors.com