

FALKENSTEIN



**ALL YOU'LL
EVER NEED**

THE TRACK WITH A
BIG CHOICE OF
ACCESSORIES



SMARTtrack

Universal sliding and pocket door track

SKUS AND ACCESSORIES



Door thickness: 1-3/8" to 2" wood; 3/8" and 1/2" frameless glass
Load capacity: 176 to 265 lb
Set includes: Extruded aluminum track; ball bearing carriages; hold-in-place, soft-close or push-to-open end stops; basic or recessed mounting hardware for wood or clamps for frameless glass panels; floor guides for either application

Track and hardware

- 0160200-02 SMARTtrack 2m (78 3/4" ") with basic wood mounts and hold-in-place stoppers
- 0160200-05 SMARTtrack 3m (118-1/8") with basic wood mounts and hold-in-place stoppers

Door mounts

- 0160222 Recessed Wood Door Mount, max. 265 lb
- 0160224 Glass Clamps, max. 265 lb, 3/8" and 1/2" glass
- 0160225 Glass Clamps with stainless steel look valance, max. 265 lb, 3/8" and 1/2" glass

Accessories

- 0160220 Soft Close (single), max. 176 lb, min. 24" door width (34" for both directions)
- 0160221 Push To Open, max. 176 lb, min. 24" door width (26" with pocket side Soft Close)
- 0160223 Upgraded Wheels, max. 265 lb
- 0160226 Track Connector, optional connector for biparting setups to align tracks
- 0160227 Sync, for biparting wood doors (basic mount only), max. 176 lb per panel

Profiles

- 0160210-02 Clip-On Valance 2m (78-3/4"), for **wood** doors, **silver** (EV1)
- 0160210-05 Clip-On Valance 3m (118-1/8"), for **wood** doors, **silver** (EV1)
- 0160211-02 Clip-On Valance 2m (78-3/4"), for **wood** doors, **stainless steel look** (C31)
- 0160211-05 Clip-On Valance 3m (118-1/8"), for **wood** doors, **stainless steel look** (C31)
- 0160212-02 Clip-On Valance 2m (78-3/4"), for **wood** doors, **black anodized** (C35)
- 0160212-05 Clip-On Valance 2m (78-3/4"), for **wood** doors, **black anodized** (C35)
- 0160213-02 Clip-On Valance 2m (78-3/4"), for **glass** doors, **silver** (EV1)
- 0160213-05 Clip-On Valance 3m (118-1/8"), for **glass** doors, **silver** (EV1)
- 0160214-02 Clip-On Valance 2m (78-3/4"), for **glass** doors, **stainless steel look** (C31)
- 0160214-05 Clip-On Valance 3m (118-1/8"), for **glass** doors, **stainless steel look** (C31)
- 0160215-02 Clip-On Valance 2m (78-3/4"), for **glass** doors, **black anodized** (C35)
- 0160215-05 Clip-On Valance 2m (78-3/4"), for **glass** doors, **black anodized** (C35)
- 0160216-02 Wall Mounting Profile 2m (78-3/4"), max. 176 lb
- 0160216-05 Wall Mounting Profile 3m (118-1/8"), max. 176 lb)






DOOR MOUNT OPTIONS



WOOD BASIC WOOD RECESSED GLASS CLAMPS GLASS CLAMPS W/ VALANCE

WITH OPTIONAL CLIP-ON TRACK VALANCE AND WALL MOUNTING PROFILE

WITH OPTIONAL CLIP-ON TRACK VALANCE



¹ With push to open: 3 7/8" (98 mm)

DOOR MOUNT OPTIONS






WOOD BASIC

WOOD RECESSED

GLASS CLAMPS

GLASS CLAMPS W/ VALANCE







DOOR MOUNT OPTIONS



WOOD BASIC WOOD RECESSED **GLASS CLAMPS** GLASS CLAMPS W/ VALANCE

WITH OPTIONAL CLIP-ON TRACK VALANCE AND WALL MOUNTING PROFILE

WITH OPTIONAL CLIP-ON TRACK VALANCE



DOOR MOUNT OPTIONS





WOOD BASIC

WOOD RECESSED

GLASS CLAMPS

GLASS CLAMPS W/ VALANCE



¹ With push to open: $2 \frac{7}{8}''$ (73 mm)