




VARIO pocket

Pocket door framing kit for wood
and glass door panels





The VARIOpocket

Quality Made in Germany

Welcome to Falkenstein, your reliable partner for top-quality door systems. Leveraging years of experience and an unwavering commitment to quality and innovation, we're proud to offer you our advanced VARIOpocket.

Made in Germany, our product meets the highest quality standards and provides an unparalleled user experience. Choosing Falkenstein is not just about selecting a product, but also opting for a partner who is dedicated to your satisfaction.



Why partnering with FALKENSTEIN is beneficial for you



Outstanding value for money

Buying directly from the manufacturer allows you to access top-tier products at competitive prices.



Exceptional customer service

Take advantage of our prompt and reliable technical support, as well as optional product and installation training.



Fast delivery and easy storage

We can deliver within 72 hours.
One package covers 95% of all door sizes.
Simplifying storage and logistics.

Advantages of the VARIOpocket

The Falkenstein VARIOpocket offers quick and easy installation, high quality parts and maximum flexibility. It's the ideal choice for those who prioritize comfort and reliability.

● Size Guide

Door Weight: up to 330 lbs

Door Dimensions: up to 5'0" x 10'0"


Door Thickness: up to 2 1/4"

(with external floor guide: 1 3/8" to 1 3/4")

Frameless Glass: 3/8" (10 mm) or 1/2"

Framing: 2x4, 2x6 and 3 5/8"

One pocket door system for the most popular door sizes.



● Track-in-Track

Our unique Track-in-Track remote door stop adjustment mechanism keeps the position of the pocket side stopper adjustable - after hanging the door and closing the wall. No access panel needed.

It also allows for pocket side accessories to be added or swapped without ripping the wall open.



● Scope of Delivery

1. Aluminum track
2. Aluminum pocket framing with strengthening clamps
3. Ball bearing wheels and hold-in-position stoppers
4. Door mounts
5. Floor guide
6. Mounting hardware

● Easy Assembly and Installation

A clear and easy-to-understand assembly guide simplifies the building process and prevents assembly errors.

● Stopper Adjustability

The stopper positions (and optional Soft-Stops) can be adjusted even if the walls are closed without the need to open the drywall again. The wall can be finished, even when the leaf is not installed.

● One Kit for All Door Heights

With our pocket door kit, you can accommodate all standard door sizes up to 48" width and 96" height. This saves storage space and offers flexible height adjustment up to 96".

● Superior Durability

The use of sturdy and high-quality aluminum components makes our system reliable, low maintenance and smooth running with low noise.

● Made in Germany

Falkenstein stands for guaranteed quality and reliability. Buy directly from the German manufacturer.

● Adjustable Floor Guide

Our adjustable floor guides can accommodate a wide range of door thicknesses: 1 3/8" (35 mm) to 1 3/4" (45 mm) wood doors and 3/8" (10 mm) or 1/2" (12,7 mm) glass doors when using the optional glass clamps.

● A Perfect Match

Designed for 2x4 and 2x6 wood studs 3 5/8" metal studs, the pocket will be flush with the framing, making it easy to install the drywall.



see the website

Accessories

The VARIOpocket is a testament to German craftsmanship at its finest. Our products are manufactured in Germany and stocked in the USA, ensuring they're ready for quick dispatch and ideal for efficient storage, thanks to compact packaging.

We haven't overlooked the importance of design aesthetics either. We recognize


that a door isn't merely a physical divider, but also an opportunity to add a touch of beauty to a room. Our additional components allow for aesthetic and functional customization of the system within the wall.

Select from an extensive variety to satisfy your customers distinct requirements.




Push-Two-Soft

With our Push-Two-Soft feature, we offer an all-in-one damper for sliding doors. In one compact device, Push-to-Open is combined with Soft-Open and Soft-Close, ensuring smooth, quiet motion for doors starting at 24" and up to a maximum weight of 180 lbs.




Glass clamps

Install glass doors to fill the room with natural light. Our conversion kit ensures a secure and stylish integration of a frameless glass door leaf into the VARIOpocket.



Recessed door mounting for wood doors

Unlike the standard door fitting provided in every set, the hidden door panel fitting is incorporated into the wooden door panel itself. This decreases the gap between track and door. In combination with the frameless jamb it enables the door slab to be removed without opening the wall.



One / Double side Soft-Stop


This set is designed to stop the door panel soft and silent on one or two sides.

*Min 34" door width for double side soft close and 24" min. door width for single soft close.




Heavy-duty wheels up to 270 lbs

The extra strong wheels are suitable for all door panels weighing up to 270 lbs. They can be used with both wooden and glass doors.



Push-To-Open

The Push to Open feature allows the door to be fully inserted into the pocket and just be pushed to get it out again (no finger pull needed). This function can be used stand-alone (min. 24" door width) or coupled with the one-sided soft close feature on the closing side for door panels starting from 27".




Synchronized bi-parting doors

For double sliding doors, we offer our synchronized movement feature. With this accessory, two wooden door panels (up to a maximum weight of 180 lbs per door panel) can be opened and closed simultaneously and in sync with a single handle.

Technical Specification

VARIOpocket with Jamb Kit


Rough Opening Guide





* Minimum required rough opening height. If you have enough headroom, you can install the pocket hardware without cutting the vertical pocket profiles. This requires a rough opening height of 108" or more.

Door width	Door height					
	80"		84"		96"	
	RO width	RO height	RO width	RO height	RO width	RO height
24"	48 3/8"	92"*	48 3/8"	96"*	48 3/8"	108"
26"	52 3/8"	92"*	52 3/8"	96"*	52 3/8"	108"
28"	56 3/8"	92"*	56 3/8"	96"*	56 3/8"	108"
30"	60 3/8"	92"*	60 3/8"	96"*	60 3/8"	108"
32"	64 3/8"	92"*	64 3/8"	96"*	64 3/8"	108"
34"	68 3/8"	92"*	68 3/8"	96"*	68 3/8"	108"
36"	72 3/8"	92"*	72 3/8"	96"*	72 3/8"	108"
38"	76 3/8"	92"*	76 3/8"	96"*	76 3/8"	108"
40"	80 3/8"	92"*	80 3/8"	96"*	80 3/8"	108"
42"	84 3/8"	92"*	84 3/8"	96"*	84 3/8"	108"
44"	88 3/8"	92"*	88 3/8"	96"*	88 3/8"	108"
46"	92 3/8"	92"*	92 3/8"	96"*	92 3/8"	108"
48"	96 3/8"	92"*	96 3/8"	96"*	96 3/8"	108"

Wood Door Panel





Sectional view of sliding track with jamb-kit and top mounts for wood doors.**Sectional view of the pocket side with wood door leaf.**


Technical Specification

VARIOpocket with Jamb Kit

Glass Door Panel



Sectional view of the pocket side with frameless glass door.




Sectional view of the door stop side with frameless glass door.



Technical Specification VARIOpocket **frameless**


Wood Door Panel




Maintenance valance in brushed stainless steel look. For use without casing.



Sectional view of sliding track, finish-up-profile and maintenance valance with top mounts for wood doors.




Sectional view of the pocket side with wood door leaf.




Technical Specification



VARIOpocket **frameless**

Glass Door Panel



Sectional view of sliding track, finish-up-profile and maintenance valance with clamps for frameless glass doors.



Sectional view of the pocket side with frameless glass door.**Sectional view of the door stop side with frameless glass door.**



A brand of Diviwerk LLC

Dania Beach, FL 33004

PH: 786-791-8557

E: sales@falkenstein-doors.com

07/2026